

A372 and A872 HPV SurePath

2035-0009, A872-50XX

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Code Product Description:** 2025-0037, A372-40XX ACCURUN® 372 Series 400 2025-0041, A372-56XX ACCURUN 372 Series 600

**Hazardous Reagent Product code Hazardous Reagent** 

Product Description listed above Catalog No. listed above

Recommended

ACCURUN 872

Use:

Contact

Reference Reagent

Manufacturer:

SeraCare Life Sciences 37 Birch Street

Milford, MA 01757

Phone #: (508) 244-6400

US Toll Free: (800) 676-1881

Fax #: (508) 634-3394

Web: www.seracare.com

Email: customerservice@seracare.com

**Emergency Telephone Numbers:** 

AUSTRALIA - POISONS INFORMATION

CENTER

CANADIAN TRANSPORT EMERGENCY

**CENTER** 

UK - THE NATIONAL FOCUS

USA - NATIONAL RESPONSE CENTER

Telephone: 13 11 26 - Hours: 24 hours

Telephone: (1) 613 996 6666 - Hours: 24 hours/day, 7 days/week

Telephone: (44) 029 2041 6388 - Hours: 09:00-17:00 GMT

Telephone: (1) 800 424 8802 - Hours: 24 hours/day, 7 days/week

CHEMTREC: CHEMTREC Customer Number: - CCN12505\*

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

### 2. HAZARD IDENTIFICATION

**Hazard Type** Fire Hazard: Flammable

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

**GHS Classification** Flammable liquids, Category 2; H225 **Hazard Statements:** H225: Highly flammable liquid and vapor.

Page 2 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

Precautionary Statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other sources of

ignition. No smoking.

Symbols and Indications of

Danger:

GHS02 Dgr: Danger



Principle Route of Exposure: Not Applicable

Acute Effects: Eye May cause redness and irritation

Acute Effects: Skin: Dry skin and Irritation may occur

Acute Effects: Inhalation: May be harmful if inhaled in very large quantities.

Acute Effects: Ingestion: May be harmful if swallowed.

Chronic Effects: Not Available

Additional Information: The product contains no substances which at their given concentration, are considered to

be hazardous to health

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CHEMICAL	% Weight	CAS #:
SDS-ACRN-07	Ethanol	< 50	64-17-5
	Methanol	< 2	67-56-1
	Isopropanol	< 2	67-63-0

**GHS Classification:** Flammable liquids, Category 2; H225

The product contains no substances which at their given concentration, are considered to be hazardous to health or the environment as per: GHS Classification in accordance with 29 CFR

1910 (OSHA HCS) Regulation (EC) No 1272/2008

## 4. FIRST AID MEASURES

General Advice: Wash contaminated clothing before reuse. Seek medical attention if necessary.

Oral Exposure: Rinse mouth. Refer for medical attention.

**Inhalation Exposure:** Fresh air, rest.

**Skin Exposure:** Remove contaminated clothes. Rinse and then wash skin with water and soap.

Eye Exposure: First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then

take to a doctor.

# 5. FIRE FIGHTING MEASURES

**Extinguishing media:** Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.

**Unusual Fire and Explosive** 

Hazards:

Vapor / air mixtures are explosive.

Flash Point: Closed cup: 38 to 43°C

Auto ignition Temperature: Data for 100% Ethyl Alcohol: 363°C

Page 3 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

Flammability Statement: Data for 100% Ethanol: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or

flames.

Specific hazards arising

from the chemical:

Data for 100% Ethanol: The vapor mixes well with air, explosive mixtures are easily

formed.

Protective equipment and precautions for firefighters:

In case of fire: keep drums, etc., cool by spraying with water.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate personal protective clothing to prevent skin contact. Remove: Work

clothing that becomes wet should be immediately removed due to its flammability

hazard(i.e. for liquids with flash point < 100°F)

**Environmental Precautions:** Not Available

**Method of Containment:** Collect leaking and spilled liquid in sealable containers as far as possible.

Methods of Clean-up: Wash away remainder with plenty of water.

Other Information: Data for 100% Ethyl Alcohol: Non-Fire Response

> Keep sparks, flames, and other sources of ignition away. Keep material out of water sources and sewers. Build dikes to contain flow as necessary. Attempt to stop leak if

without undue personnel hazard. Use water spray to knock-down vapor.

Land spill: Dig a pit, pond, lagoon, holding area to contain liquid or solid material. Dike surface flow using soil, sand bags, foamed polyurethane, or foamed concrete. Absorb bulk liquid with fly ash, cement powder, or commercial sorbents. Water spill: Use natural barriers or oil spill control booms to limit spill travel. Remove trapped material with suction

hoses. (AAR, 2003)

### 7. HANDLING AND STORAGE

Handling: Wear appropriate PPE. Refer to section 8.

Store at 2-8 °C separated from strong oxidants. Storage:

## 8. EXPOSURE CONTROL

**Respiratory Protection:** Ventilation, local exhaust, or breathing protection.

**Eye Protection:** Safety goggles.

**Skin Protection:** Protective gloves. Protective clothing. Ingestion: Do not eat, drink, or smoke during work.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Slightly cloudy, colorless

**Physical State:** Liquid

Odor: Mild alcohol odor.

**Odor Threshold:** Not Available

pH: 6.0 - 8.0**Boiling Point:** 86 °C

>1 **Evaporation Rate:** 

Vapor Density: Data for 100% Ethyl Alcohol: (air = 1): 1.6

Page 4 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

Vapor Pressure: 44 mm Hg

**Relative Density:** Data for 100% Ethyl Alcohol: (water = 1) 0.8

Auto-Ignition Temperature: Data for 100% Ethyl Alcohol: 363°C

Water Solubility: Data for 100% Ethyl Alcohol: miscible

Flammability: Data for 100% Ethyl Alcohol: 3: may ignite at ambient temperature

Flash Point: 35 °C

Viscosity: Not Available
Oxidizing Properties: Not Available

**Explosive Properties:** Data for 100% Ethyl Alcohol: vol% in air 3.3-19

Upper Explosive Limit: 19.0 % (NIOSH, 2003)

Additional Parameters: See Datasheet/Product Insert for other Product Information.

### 10. STABILITY AND REACTIVITY

Chemical Stability:

This material is stable under normal temperatures and pressures, is a mild oxidizing

agent, and polymerization will not occur.

**Conditions to avoid:** Avoid excess heat, sources of ignition and direct sunlight.

Incompatibility Materials to

Oxidizing agents, Peroxides, Acid Chlorides, Acid Anhydrides, Alkali Metals, and

Ammonia.

Avoid:

Hazardous Decomposition
Carbon Monoxide, Carbon Dioxide

**Products:** 

Hazardous Polymerization: Will not occur

Possibility of hazardous

reactions:

Data for 100% Ethyl Alcohol: Reacts slowly with calcium hypochlorite, silver oxide and ammonia, causing fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate or magnesium perchlorate, causing fire and

explosion hazard.

## 11. TOXICOLOGY MEASURES

### **Acute Toxicity**

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral: Data for 100% Ethyl Alcohol: LD50 Mouse oral 3450 mg/kg; LD50 Guinea pig oral 5.6

g/kg

LD50 Dermal: Data for 100% Ethyl Alcohol: LD50 Rat iv 1440 mg/kg; LD50 Mouse iv 1973 mg/kg

LC50 Inhalation: Data for 100% Ethyl Alcohol: LC50 Mouse inhalation 39 mg/cu m/4 hr; LC50 Rat

inhalation 20000 ppm/10 hrs.

**Chronic Toxicity** 

Carcinogenicity: Data for 100% Ethanol: MAK-COMMISSION - Category 5 (No considerable risk)

Irritation: Data for 100% Ethanol: An eye and skin irritant

Corrosivity: No Data Available
Sensitization: No Data Available
Neurological Effects: No Data Available

Mutagenic Effects: Data for 100% Ethyl Alcohol: MAK COMMISSION Germ Cell Mutagenic- Category 5

(Substance with minimal effect)

Page 5 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

Data for 100% Ethyl Alcohol: Ethanol consumption during pregnancy may adversely **Reproductive Effects:** 

> affect the unborn child. MAK COMMISSION - Group C (There is no reason to fear a risk of damage to the developing embryo or fetus when MAK and BAT values are adhered

to.)

**Developmental Effects:** No Data Available

Data for 100% Ethyl Alcohol: Eyes, skin, respiratory system, central nervous system, **Target Organ Effects:** 

liver, blood, reproductive system

Data for 100% Ethyl Alcohol:

Effects of short-term exposure

The substance irritates the eyes. Inhalation of high concentration of vapor may cause

irritation of the eyes and respiratory tract. The substance may cause effects on the

Other adverse effects: central nervous system.

Effects of long-term or repeated exposure

The liquid defats the skin. The substance may have effects on the upper respiratory tract

and central nervous system, resulting in irritation, headache, fatigue and lack of

concentration.

#### 12. ECOLOGICAL MEASURES

Data for 100% Ethanol: Crustacean (Daphnia magna) EC50 (IMM) 48 hr 9.300 mg/L; **Ecotoxicity:** 

NOEC (Reproduction Rate) 9 day 9.6 mg/L (Slightly harmful in the aquatic environment

or otherwise designed for biocidal action)

Persistence/Degradability: Data for 100% Ethanol: Readily biodegradable (74% after 5 days)

**Mobility in Environmental** 

Media:

Not Available

Bioaccumulation/ **Accumulation:** 

Data for 100% Ethanol: Not likely to bioaccumulate (calculated logBCF=0.5).

#### 13. DISPOSAL MEASURES

**Waste Disposal Method:** Observe all Federal, State and Local laws concerning health and pollution. **Contaminated Packaging:** Dispose of in compliance with the respective national and local regulations.

**US EPA Waste Number:** Not Available

### 14. TRANSPORTATION MEASURES

DOT: UN1992; Flammable Liquids, Toxic, n.o.s (Ethanol), 3(6.1), E1, Excepted quantity label

IATA: UN1992; Flammable Liquids, Toxic, n.o.s (Ethanol), 3(6.1), E1, Excepted quantity label

ADR (road)/ RID (rail): UN1992; Flammable Liquids, Toxic, n.o.s (Ethanol), 3(6.1), E1, Excepted quantity label

IMDG (sea): UN1992; Flammable Liquids, Toxic, n.o.s (Ethanol), 3(6.1), E1, Excepted quantity label

**General Transport** 

UN1992; Flammable Liquids, Toxic, n.o.s (Ethanol), 3(6.1), E1, Excepted quantity label Regulations

Page 6 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

## 15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Not Listed

## **State Regulations**

### **California Proposition 65:**

This product contains the following Proposition 65 chemicals

Not Listed

### **State Right to Know Act**

Chemical Name Ethanol

Massachusetts: Listed
New Jersey: Listed
Pennsylvania: Listed
New York: Listed
Rhode Island: Not Listed

# **International Inventories**

**Chemical Name Ethanol** TSCAL: Listed DSL: Listed NDSL: Not Listed **EINECS:** Listed CHINA: Listed **KECL:** Listed JAPAN: Listed AICS: Listed

## **EU Regulations**

Annex I Index#: 603-002-00-5

Annex I Index#:

Substance Name
in Annex 1 : ethanol
ethyl alcohol

Page 7 of 7

SDS-ACRN-07 Rev. Number: 4 Rev. Date: Sep 21, 2016

Classification: Flammable liquids, Category 2; H225

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Regulation (EC)

No 1272/2008

**Hazard Statements:** H225: Highly flammable liquid and vapour.

Precautionary Statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other sources of

ignition. No smoking.

Symbols and Indications of

Danger:

GHS02 Dgr: Danger

Specific Concentration Limits: Not Applicable

# 16. OTHER INFORMATION

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. SeraCare Life Sciences makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. SeraCare assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Safety Data Sheet.